

### 1. Grinding plate with Diamond segments

---

Specifically designed for grinding applications on hard concrete(terrazzo)  
Remove hard epoxies, urethane, and other coatings or toppings.  
Soft bond, Medium Bond and Hard Bond are available for Different surface materials.  
Diamond grit can be decided by our customers:16/20,30/40,40/50,50/60,etc.



### 2. Grinding plate with PCD

---

With PCD, More aggressive removal of hard epolixes, urethane, and other coatings or toppings



### 3.Round Turbo Cup

---

Ideal for fast and clean grinding of rough stone,terrazzo, and concrete siface, corners,edges, and angles.

Coare, Medium, and fine diamond grits are available

Item No	Inch	m/m
JDRRTC100	4	100
JDRRTC115	4.5	115
JDRRTC125	5	125
JDRRTC180	7	180



#### 4. Straight Turbo Cup

---

Item No	Inch	m/m
JDRSTC100	4	100
JDRSTC115	4.5	115
JDRSTC125	5	125
JDRSTC180	7	180



#### 5. Rapido Turbo Cup

---

Item No	Inch	m/m
JDRRTC100	4	100
JDRRTC125	5	125
JDRRTC150	6	150
JDRRTC180	7	180



#### 6. Turo Cup with Aluminum Body

---

Less weight on grinders than the normal steel body

Item No	Inch	m/m
JDRTCWA100	4	100
JDRTCWA115	4.5	115
JDRTCWA125	5	125
JDRTCWA180	7	180



#### 7. Wide Face Cup


---

Used for middle stage of grinding the surface of stone.

Featured with less vibration due to the wide area of contact surface of diamond segments.

Coarse, Medium, and fine diamond grits are available and Straight segments or round segments

Item No	Inch	m/m
JDRWFC100	4	100
JDRWFC125	5	125
JDRWFC150	6	150
JDRWFC180	7	180




### 8. Single Row Grinding Cup

---

Used on angle grinders for stone and concrete, etc.

5/8-11, M14 thread, and 5/8-7/8" arbor available

Item No	Inch	m/m
JDRSRC100	4	100
JDRSRC115	4.5	115
JDRSRC125	5	125
JDRSRC180	7	180



### 9. Double Row Grinding Cup

---

Effective in the process of concrete debarring and rough surface grind.

Smooth grinding and long life

Item No	Inch	m/m
JDRDRC100	4	100
JDRDRC115	4.5	115
JDRDRC125	5	125
JDRDRC180	7	180



### 10. Swirly Cup

---

Segmented Cup wheel for removal of epoxy coating on concrete floor.  
 Designed for longer life of grinding the concrete surface.  
 Number of segments are upon request

Item No	Inch	m/m
JDRSWC100	4	100
JDRSWC115	4.5	115
JDRSWC125	5	125
JDRSWC180	7	180



### 11. Edge Grinding wheels (Graphite Metal)

---

Compatible with automatic edge processing machine.  
 Graphite metal bond are specially designed for wet work.  
 Available dia. grit:30,60,120,200

Item No	Size
JDR-EGWM4	4"
JDR-EGWM5	5"

